

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 23 | access adj list with record\$3 near3 (access or permission) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 14:52 |
| S1 | 14 | "6157954".pn. "6269369".pn. "6175741".pn. "5732229".pn. "6055512".pn. "6205478".pn. "5915001".pn. 0027472A1.pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 11:24 |
| S2 | 0 | 0027472A1.pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/10 14:25 |
| S3 | 2188 | Guan.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/10 14:25 |
| S4 | 0 | S3 and 709/223.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/10 14:26 |
| S5 | 3 | S3 and 709/203.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/10 14:26 |
| S6 | 1057 | permission\$2 with key and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 09:00 |
| S7 | 117 | permission\$2 same (send\$3 or transmit\$4) near2 key and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 09:01 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S8 | 52 | permission\$2 with (send\$3 or transmit\$4) near2 key and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 09:13 |
| S9 | 65 | permission\$2 same (send\$3 or transmit\$4) near2 key and @ad<"20020222" not S8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 10:21 |
| S10 | 327 | 713/185.ccls. and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 10:38 |
| S11 | 54 | (access or permission\$2) adj list with key and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 10:38 |
| S12 | 65 | (access or permission\$2) adj list with key\$2 and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 10:38 |
| S13 | 12 | (access or permission\$2) adj list with public adj key\$2 and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 10:53 |
| S14 | 208 | electronic near2 business adj card and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 10:54 |
| S15 | 16 | S14 and public adj key\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 10:57 |

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| S16 | 12 | (patrick near2 richards).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 10:59 |
| S17 | 1 | S16 and key\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 10:59 |
| S18 | 11 | (matthew near2 trevathan).in. and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 11:11 |
| S19 | 0 | S18 and key\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 11:08 |
| S20 | 2 | "20010027472".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/11 11:11 |
| S21 | 16858 | (compar\$3 or match\$3) near5 (key\$2 or cipher\$3 or nonce\$3) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/17 13:47 |
| S22 | 16480 | (compar\$3 or match\$3) near5 (key\$2) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/17 13:47 |
| S23 | 713 | (compar\$3 or match\$3) near5 (public adj key\$2) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/17 14:39 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S24 | 12 | (compar\$3 or match\$3) near5 (public adj key\$2) same (access adj list or permission\$2) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/17 13:58 |
| S25 | 30 | (compar\$3 or match\$3) with decrypt\$3 near2 (public adj key\$2) with stor\$3 near2 (public adj key\$2) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/17 14:10 |
| S26 | 1 | (compar\$3 or match\$3) with decrypt\$3 adj (public adj key\$2) with stor\$3 adj (public adj key\$2) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/17 14:10 |
| S27 | 1 | (compar\$3 or match\$3) with decrypt\$3 adj ((public or assymmetric or asymmetric) adj key\$2) with stor\$3 adj ((public or assymmetric or asymmetric) adj key\$2) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/17 14:12 |
| S28 | 3 | (compar\$3 or match\$3) with decrypted adj2 key\$2 with stored adj2 key\$2 and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/17 14:13 |
| S29 | 6 | (compar\$3 or match\$3) near5 (public adj key\$2) and (business adj card) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/17 14:59 |
| S30 | 60 | (compar\$3 or match\$3) near5 (key\$2 or nonce\$2 or cipher\$2) and (business adj card) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/17 14:50 |
| S31 | 4 | (compar\$3 or match\$3) near5 (key\$2 or nonce\$2 or cipher\$2) and electronic with (business adj card) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/17 14:50 |

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| S32 | 1931 | key\$2 adj match\$3 and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 11:31 |
| S33 | 102 | key\$2 adj match\$3 with stored near2 key and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 13:51 |
| S34 | 65 | public adj key\$2 adj match\$3 and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 14:26 |
| S35 | 2 | "20030112977".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 15:42 |
| S36 | 12549 | key near2 "same" and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 15:43 |
| S37 | 105 | key near2 "same" with stor\$3 adj key and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 15:44 |
| S38 | 1 | decrypted near2 key near2 "same" with stor\$3 near2 key and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 15:44 |
| S39 | 16 | public adj key near2 "same" with stor\$3 near2 key and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 15:48 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S40 | 402 | key near2 "same" with (stored or received or retrieved) near2 key and @ad<"20020222" not S39 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 16:43 |
| S41 | 63 | key near2 "same" with (stored or received or retrieved) near2 key same (access\$3 or permission\$3 or transfer\$4) and @ad<"20020222" not S39 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 16:39 |
| S42 | 339 | S40 not S41 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 16:39 |
| S43 | 6 | public adj key near2 "same" with (stored or received or retrieved) near2 key and @ad<"20020222" not S39 not S41 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/02 16:43 |
| S44 | 484 | 713/185.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 12:55 |
| S45 | 725 | 713/182.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 12:56 |
| S46 | 2 | "20020049636".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 12:56 |
| S47 | 0 | S46 and public adj key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 12:56 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S48 | 23 | (patrick near2 richards).in. (matthew near2 trevathan).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 12:58 |
| S49 | 10 | public adj key with form near (id or identification) and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 13:44 |
| S50 | 1 | record\$3 near2 permission near3 access adj list and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 13:45 |
| S51 | 28 | permission near3 access adj list and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 13:45 |
| S52 | 1 | (record\$3 or log or logs) near2 permission near4 list and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 13:46 |
| S53 | 4 | (record\$3 or log or logs) near2 permission with list and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 14:04 |
| S54 | 2 | "20030051026".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 14:26 |
| S55 | 2 | "20030051026".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 14:28 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S56 | 0 | record\$3 near2 transfer\$4 with access adj list and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 14:29 |
| S57 | 30 | permission\$3 with access adj list and @ad<"20020222" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/07 14:29 |